SERVING SATISFIED CUSTOMERS SINCE DECADES



GUNS & MORE

retail@wahindustries.com



PG.3 RIFLES

PG.7

PISTOLS

PG. 30

SHOTGUNS

PG. 38

AMMUNITION

PG. 49

CONTACT INFORMATION









RIFLES





RELIVE YOUR HUNTING AND SPORTING ADVENTURES WITH WINSPORTER





SPORTER RIFLE .308 WIN

Features:

- Caliber 7.62x51mm NATO/0.308win
- Semi-Automatic
- Muzzle velocity 800±30 m/s
- Magazine Capacity 20 rounds
- Length of weapon 1020 mm approx
- Length of Barrel 450mm
- Weight of weapon (Without magazine) 4.50Kg Approx
- Operation Roller Delayed Blow Back
- ▶ 4 grooves right hand twist 305+-10mm lead
- Range (iron sight) 400m
- Range (telescope) 600m

RS.373,000/-WITH PACKING BOX RS. 322,100/-W/O PACKING BOX





.308 RIFLE 2ND GENERATION (BW-20)

- Caliber 7.62x51mm NATO/0.308win
- Semi automatic
- Muzzle velocity 770 m/s
- Magazine Capacity 20 rounds
- Length of weapon 935 (closed buttstock) 1015 mm (Extended)
- Length of Barrel 406 mm and 305mm
- Weight of weapon 4.1 kg (Aluminum Receiver) 3.9 kg (Polymer Receiver)
- Range (iron sight) 400m
- Range (telescope) 600m
- Roller Delayed Blow Back









.308 RIFLE DEFENDER (SEMI-AUTOMATIC)

- Caliber 7.62x51mm NATO/0.308win
- Semi automatic
- Muzzle velocity 710 m/s
- Magazine Capacity 20 rounds
- Length of weapon 790mm
- Length of Barrel 300 mm (with polygonal rifling)
- Weight of weapon 4.1 kg
- Range: 400m
- Roller Delayed Blow Back



PISTOLS





EXTREMELY RELIABLE AND COMPACT PISTOL. DESIGNED TO KEEP YOU SAFE



PISTOL POF - 4

- Caliber 9x19mm
- Semi- Automatic
- Muzzle Velocity 375 m/sec
- 15 Rounds Magazine
- Barrel Length 115 mm
- Weight 2 kg





DESIGNED FOR INDIVIDUAL SECURITY, VIP PROTECTION AND GUARD DUTIES



PISTOL POF - 5

- Caliber 9x19mm
- Magazine 15 rounds
- Type of Fire Semi-Automatic
- Muzzle Velocity 400m/sec
- Weight 2.45 kg
- Barrel Length 225 mm







POF-X

Features:

Caliber: 9mmx19

Operating System: Short Recoil

Length: 217 mm

Height: 137 mm

Width: 33 mm

Weight (Without Magazine): 874 gr

Firing System: Semi-automatic

Magazine Capacity: 15 rounds

Barrel Length: 125 mm

Sight System: Fixed, Dovetailed Notched Rear Sight

Safety System: Safety Lever, Pin Safety Block,
 Hammer safety, Chamber Loaded Indicator.

Trigger Action: Single Action Double Action







B-6

- Caliber 9x19mm
- Semi automatic
- Muzzle velocity 350 m/sec
- Magazine Capacity 15 rounds
- Barrel Length 116 mm
- Weight w/o magazine 800 gram
- Sight 3 dot system







SAR 9-C

Features:

Caliber : 9 x19 mm

Trigger System : Single Action

Capacity : 15 Rds

Barrel Length : 103 mm (4.0")

Total Length : 183 mm (7.2")

Total Height: 130 mm (5.1")

Total Width : 37 mm (1.4")

• Weight : 760 gr (26.8 oz)

Product Features

Firing pin cocked indicator

Trigger safety

Picatinny rail

Steel slide back plate

RS. 218,050/LIMITED STOCK





SAR 9

Features:

Caliber : 9x19 mm

Trigger System : Single Action

Capacity : 15/17/19

Barrel Length : 113 mm (4.4")

Total Length : 193 mm (7.6")

Total Height : 140 mm (5.5")

Total Width : 37 mm (1.4")

Weight : 790 gr (27.8 oz)

Product Features

Firing pin cocked indicator

Trigger safety

Changeable side plates and back straps

Picatinny rail

Steel slide back plate

RS. 225,700/-LIMITED STOCK





Features:

Caliber : 9x19 mm

Trigger System : Single Action

Capacity : 12 / 15 / 17

Barrel Length : 85 mm (3.3")

Total Length : 165 mm (6.4")

Total Height : 122 mm (4.8")

Total Width : 27 mm (1.1")

• Weight : 630 gr (22.2 oz)

Product Features

Polymer Body

Steel slide back plate

RS. 266,400/LIMITED STOCK





SAR 9 X

Features:

Caliber : 9x19 mm

Trigger System : Single Action

Capacity : 15 / 17

Barrel Length : 113 mm (4.4")

Total Length : 193 mm (7.6")

• Total Height : 140 mm (5.5")

Total Width : 37 mm (1.4")

Weight : 780 gr (27.5 oz)

Product Features

Firing pin cocked indicator

Trigger safety

Changeable side plates and back straps

Picatinny rail

Hologram sight

Cooling channels

Steel slide back plate

RS. 298,700/-LIMITED STOCK





SAR 9 SP

Features:

Caliber : 9x19 mm

Trigger System : Single Action

Capacity : 17

Barrel Length : 133 mm (5.2")

Total Length : 211 mm (8.3")

Total Height : 152 mm (5.9 ")

Total Width : 37 mm (1.4")

▶ Weight : 850 gr (29.9 oz)

Product Features

Firing pin cocked indicator

Picatinny rail

Silencer connection

Cooling channels

Steel slide back plate

Magazine well

Cord Ring

High rear and front sight

RS. 444,600/BLACK COLOR
LIMITED STOCK



FLAWLESS AND ULTIMATE



METE SF

Features:

- Caliber 9x19 mm
- Semi-Auto Striker Fired
- Magazine Capacity 15 rds
- Barrel Length 103.5mm / 4.08"
- Overall Length 182 mm / 7.17
- Height 133.5 mm / 5.26"
- Width "37 mm / 1.46"
- Weight (w/o mag) 745 g (with 15rds magazine)
- Trigger Weight 2-2.5kg
- Short Recoil Locked Breech
- Firing Pin Block, Trigger Safety





RS.219,700 FDE (FRAME)



QUICK & AGILE



METE SFT

- Caliber 9x19 mm
- Semi-Auto Striker Fired
- Magazine Capacity 18 rds
- Barrel Length 113.5 mm / 4.46"
- Overall Length 192 mm / 7.56"
- Height 145 mm / 5.75"
- Width 36 mm / 1.41"
- Weight (w/o mag) 789 g (with 18rds magazine)
- Trigger Weight 2-2.5kg.
- Short Recoil Locked Breech
- Firing Pin Block, Trigger Safety









METE SFX

- 9x19 mm
- Semi-Auto Striker Fired
- Magazine Capacity 18 rds
- Barrel Length 132 mm / 5.20"
- Overall Length 210.5 mm / 8.29"
- Height 146 mm / 5.75"
- Width 36 mm / 1.41"
- Weight (w/o mag) 832 g(with 18rds magazine)
- Trigger Weight 2-2.5kg.
- Short Recoil Locked Breech
- Firing Pin Block, Trigger Safety





CANK SUPERIOR HANDGUNS

METE MC 9

Features:

- Caliber 9x19 mm
- Magazine Capacity 12 Rounds
- Barrel Length 81 mm / 3.18"
- Overall Length 155mm / 6.1"

- Height 115 mm / 4.52"
- Width 28.5mm / 1.12"
- Semi-Auto Striker Fired
- Firing pin block / Trigger Safety
- Weight 603 g





RS. 201,100/-



RS. 203,000/-

FDE (FRAME & SLIDE)

RS. 205,300/-

FDE (FRAME)



CANIK

<u>TP- 9 SUB ELITE (PVD BARREL)</u>

Features:

- Caliber 9x19 mm
- Magazine Capacity 12 Rounds
- ► Barrel Length 91.5mm/3.60"
- Overall Length 170.5mm/6.71"

- Height 116mm/4.57"
- Width 37mm/1.46"
- Weight 695 gr





RS. 264,200/-



RS. 313,000/-

EXECUTIVE

RS. 269,100/-





TP -9 SF ELITE S (PVD BARREL)

Features:

- Caliber 9x19 mm
- Semi-Auto Striker Fired
- Magazine Capacity 15-18 Rounds"
- Barrel Length 106.5 mm / 4.19"
- Overall Length 185mm / 7.28"
- Height 134mm / 5.28"
- Width 37mm / 1.46'
- Weight 800 g
- Firing pin block / Trigger Safety





TUNGSTEN





TP -9 SUB ELITE CAS (PVD BARREL)

- Caliber 9x19 mm
- Semi-Auto Striker Fired
- Magazine Capacity 12 Rounds"
- Barrel Length 91.5 mm / 3.60
- Overall Length 170.5mm / 6.71"
- Height 107.3mm / 4.2"
- Width 37mm / 1,46"
- Weight 690 g
- Firing pin block / Trigger Safety









SFX RIVAL BLACK & GREY

Features:

- Caliber 9x19 mm
- Semi-Auto Striker Fired
- Magazine Capacity 18 Rounds"
- Barrel Length 205,5mm / 8,09"
- Overall Length 205,5mm / 8,09"
- Height 145mm / 5,7"
- Width 36mm / 1,41"
- Weight 835 g
- Firing pin block / Trigger Safety





RS. 322,525/-GREY





TP 9 ELITE COMBAT (PVD BARREL)

- Caliber 9x19 mm
- Magazine Capacity 15-18 Rounds
- Barrel Length 120 mm / 4,72"
- Overall Length 200mm / 7,88"

- Height 151,5mm / 5,96"
- Width 38mm / 1,50"
- Semi-Auto Striker Fired
- Firing pin block / Trigger Safety
- Weight 845 g







SFX RIVAL - S

Features:

- Striker Status Indicator
- Steel Frame
- Side Changeable and Length Adjustable MagazineCatch with 3 sizes (S-M-L)
- Ambidextrous Slide Stop Lever
- MIL-STD-1913 Picatinny Rail
- Mag-Well Ready Interchangeable Backstrap (3 sizes)
- Lighter90° Diamond Cut Aluminum Flat Trigger
- Threaded Barrel (M13,5x1 LH or 1/2-28") (Optional)





RS. 426,320/-BLACK





METE MC9 L

- Loaded Chamber Indicator
- Striker Status Indicator
- Side Changeable Magazine Catch
- Ambidextrous Slide Stop Lever
- MIL-STD-1913 Picatinny Rail
- Magwell Ready Interchangeable Backstrap (3 sizes)
- Polymer Trigger
- 17 Rounds Magazine Capacity
- Barrel Length 81 mm / 3.19"
- Overall Length 159.5 mm / 6.27"
- Height 138 mm / 5.43"
- Width 29.5 mm / 1.16"
- Weight (w/o mag) 630 g
- Short Recoil Locked Breech
- Firing Pin Block, Trigger Safety









METE MC9 LS

- Loaded Chamber Indicator
- Striker Status Indicator
- Side Changeable Magazine Catch
- Ambidextrous Slide Stop Lever
- MIL-STD-1913 Picatinny Rail
- Magwell Ready Interchangeable Backstrap (3 sizes)
- Polymer Trigger
- 17 Rounds Magazine Capacity
- Barrel Length 92.5 mm / 3.64"
- Overall Length 171 mm / 6.73"
- Height 138 mm / 5.43"
- Width 29.5 mm / 1.16"
- Weight (w/o mag) 673 g
- Short Recoil Locked Breech
- Firing Pin Block, Trigger Safety







PREPARED SUPERIOR



METE MC9 / GREEN

- ▶ 12 and 15 Round Magazines
- 1x Finger Extension Magazine Base Plate
- Barrel Length 81 mm / 3.18"
- Overall Length 155mm / 6.1"

- Height 115 mm / 4.52"
- Width 28.5mm / 1.12"
- Semi-Auto Striker Fired
- Firing pin block / Trigger Safety
- Weight 603 g



SHOTGUNS









CY SYNTHETIC BLACK 12GA 71CM

- Gauge 12
- Chamber 3" / 76 mm
- Barrel Length 71cm / 28"
- Choke All types
- Magazine Capacity 5 with swivels









CY SYNTHETIC GRAY

- Gauge 12
- Chamber 3" / 76 mm
- Barrel Length 71cm / 28"
- Choke All types
- Magazine Capacity 5 with swivels









CY SYNTHETIC WALNUT 12GA 71CM

- Gauge 12
- Chamber 3" / 76 mm
- Barrel Length 71cm / 28"
- Choke All types
- Magazine Capacity 5 with swivels







SP BLACK 12GA 71CM LIGHT ALLOY RECEIVER (OVER UNDER)

- Gauge 12
- Chamber 3" / 76 mm
- Barrel Length 71cm / 28"
- Choke All types
- Receiver light alloy with swivels







SP WHITE 12GA 71CM LIGHT ALLOY (OVER UNDER)

- Gauge 12
- Chamber 3" / 76 mm
- Barrel Length 71cm / 28"
- Choke All types
- Receiver light alloy with swivels







NEO WALNUT 12GA 76CM

Features:

Gauge: 12

• Chamber: 76mm (3")

Barrel Length 71cm / 28"

Choke: All types

Magazine Capacity: 4+1 (With 70 mm (23/4") Shells)

Receiver: Light Alloy

Weight: 2.8 Kgs





THE ENHANCEMENTS WORTH TRYING



CY SUPER MAGNUM MOSSY OAK CAMO 12GA 71CM

Features:

Gauge: 12

Chamber: 76mm (3")

Barrel Length 71cm / 28"

Choke: All types

Magazine Capacity: 4+1 (With 70 mm (23/4") Shells)

Receiver: Light Alloy

Weight: 2.8 Kgs



AMMUNITION





EUROTARGET



CLAY PIGEON TARGET SKEET

Features:

Diameter: 110 mm

Weight: 105 gr

Pieces per box: 150 nos

Box dimension: 34x23,5x29cm







SHAHEEN 12BORE CARTRIDGES

SHOT NOS	PRICE PER BOX OF 25 CTGS. (RS.) (@WIL HQ & WAH OUTLET)	PRICE PER BOX OF 25 CTGS. (RS.) (@WIL OUTLETS AT LHR, KHI, PSH, MUL)
4, 5, 6, 7, 8, 9, 10 &11	2900/-	3125/-
9 SKEET & 7 TRAP	2900/-	3,125/-
SG, AAA , BB	2925/-	3,150/-
SUPER	3125/-	3,375/-
EXCEL	3,150/-	3,400/-



4 NO (32 G) 4 NO (34 G) 6 NO (34 G)

RS. 7,175/-PER BOX RS. 7,425/-PER BOX RS. 7,475/-PER BOX





RS. 6,825/-PER BOX











STERLING 9MM PARABELLUM FMJ

Features:

Bullet: FMJ Lead Core

Case : Brass Case

Primer: 4.4 SP Boxer

Powder: Ball Powder

Max Pressure: 2850 bar – 41,335 psi

Average Velocity 370±10 m/s -1214 fps

Packing 30×50 pcs







POF 9X19 MM BALL AMMO

Features:

- Bullet: FJM (Gilding Metal Jacket / Brass Jacket Lead Core)
- Brass Case
- Berdan / Boxer Primer
- Single Base Smokeless Propellant PHU PAK Ammo -142
- Accuracy 46 meter
- HOR & VER SD of 90 Shorts (9 Targets of 10 Shots each)
- Shelf Life: 10 Years Extendable to further 5 years as per surveillance test

RS. 137/-







.308 WIN BALL (150 GRAINS) AMMO

Features:

Length of complete round: 70.36~71.12mm

Weight of complete round : 24 gm (Approx.)

Bullet Jacket : gilding metal

Performance:

Muzzle Velocity: 870 m/s

Maximum range: 1000m

Accuracy: 1.5 MOA

Packing:

20 rounds packed









Features:

Length of complete round : 70.36 ~ 71.12mm

Weight of complete round : 25 gm (Approx.)

Bullet Jacket : Gilding metal

Performance:

Muzzle Velocity: 770 m/s

Maximum range : 1000m

Accuracy : 1MOA

Packing:

20 rounds packed



RS. 395/-



.308 WIN BALL (175 GRAINS) MATCH AMMO

Features:

Length of complete round: 70.36~71.12mm

Weight of complete round : 25.5 gm (Approx.)

Bullet Jacket : gilding metal

Performance:

Muzzle Velocity: 770 m/s

Maximum range : 1000m

Accuracy : .5 MOA

Packing:

20 rounds packed





RS. 396/-



5.56 X 45MM M-193 BALL AMMO

Features:

- Length of Complete Round 56.77 57.40 mm
- Weight of Complete Round 10.91 11.98 grams
- Bullet Jacket Gilding Metal

Performance:

- Muzzle Velocity ≥ 912 m/s
- Maximum Range800m
- Accuracy Hor & Ver SD ≤ 200 mm at 550 meter

Packing:

20 rounds packed







PROCEDURE FOR PURCHASE

The prerequisites for obtaining NPB Arms & Ammo from WIL are as follows:

For Individuals:

The individual should have a valid NPB License Valid CNIC

For Arm Forces Officers:

Valid NPB License or Army Regulation Instruction (ARI) certificate, Valid CNIC

CONTACT US

Karachi Outlet:

Shop#4, Fleet Club, Iqbal Shaheed Road, Saddar Karachi. (Mr. Zohaib Durrani) Tel: +92 21 32781193.

Lahore Outlet:

CSD Bedian Road, Lahore Cantt Tel: +92 42 36622107

LGSG Outlet:

Barki Road Lahore (Mr. Muzamil) Contact no. +92 0342 5142788)

Wah Outlet:

For Individuals / Arm Forces Officers

Cantt Board Plaza near Barrier # 3, Wah Cantt (Mr. Majid & Mr. Tariq) Tel: +92 51 4533133

Peshawar Outlet:

CSD sadder Peshawar Cantt (Mr. Amjad Ali & Mr. Uzair Khan) Tel: +92 91 5254124

Multan Outlet:

Masood Metro Mall, Bosan Road, Multan. (Mr. Khadim Ali) Contact: +92 336 5563403

HO WIL:

In-charge (Retail Department) Tel: +92 51 9055 21634 retail@wahindustries.com

Dy. GM SALES

Mr. Mansab Nazeer Tel: + 92 51 9055 21615

Email: mansab@wahindustries.com

